## CONSTRUCTION PHOTOGRAPH ALBUM PREPARATION SYSTEM

Publication number: JP8185447

Publication date:

1996-07-16

Inventor:

OKUYAMA TETSUYA; ANPO TOSHIYA; KUWABARA

**TERUHIKO** 

Applicant:

CATERPILLAR MITSUBISHI LTD

**Classification:** 

- international:

B42D1/08; G05B19/418; G06Q10/00; G06Q50/00;

B42D1/00; G05B19/418; G06Q10/00; G06Q50/00;

(IPC1-7): G06F17/60; B42D1/08


- European:

Application number: JP19940339079 19941227 Priority number(s): JP19940339079 19941227

Report a data error here

#### Abstract of JP8185447

PURPOSE: To prepare a construction photograph album in a short time by selecting optimum photographs while managing a schedule by fetching photographs or video images into a personal computer, editing the assignment of the album on a display and preparing the album by printing a platen with a printer. CONSTITUTION: A camera 11 or a video camera 12 directly inputs photographed data to a personal computer 20 and fetches a negative film developed by the photographing of the camera 11 by a suitable method such as inputting it to the personal computer 20 while using a negative/positive inverting scanner 13. Then, the assignment of the album is edited by sticking the fetched photographic data in a mount area on the display of a monitor 22. Then album is prepared by printing the data in this mount area while using a printer 23. Thus, the album for presentation is prepared once on the display of the personal computer 20, it is confirmed whether the picture to be presented is well taken or not and whether a construction kind name is proper or not, and when there is the other good picture, the existent picture is immediately exchanged with it, and a processing time can be shortened.



Data supplied from the esp@cenet database - Worldwide

## \* NOTICES \*

JPO and INPIT are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

### **CLAIMS**

## [Claim(s)]

[Claim 1]A construction photo album preparing system characterized by comprising the following using a personal computer and its peripheral equipment.

A photography scheduling means to create a photography schedule which set a photography part, a photographing day, etc. with a work item schedule number which met in order of work based on a work schedule of construction.

A data input means which inputs an image data input means which inputs a taken site photograph as image data, and related data.

A leakage judging means in photography which judges leakage in photography of said photography schedule by existence of an input of photography completion information corresponding to a work item schedule number, and displays a decision result.


Call data which was inputted [ above-mentioned ] and remembered to be an identification code grant means to give a work item schedule number exception to data in which the image data inputted [ above-mentioned ] and others are related, and to give an identification code according to entry sequenced for every work item schedule number, and. A data editing means which sticks selected data on pasteboard area on a display set up for every above-mentioned work item schedule number, and edits it, and an album preparing means which outputs pasteboard data for every created work item schedule number to external display devices, such as a printer, and creates an album.

[Claim 2]Data relevant to image data Photography data of others, such as aerial photograph, The construction photo album preparing system according to claim 1 consisting of all or some of alphabetic data, such as an explanatory note required for photographing instruction data of drawing data, such as a map and an engineering-drawing side, article moving routes, a camera station, a direction, an exposure time belt, close-up photography, partial photography, etc., and a work item.

[Claim 3] The construction photo album preparing system according to claim 1 which a storage warehouse which keeps the originals, such as a film etc. of an inputted site photograph, is provided, and an identification code grant means gives a code which indicates keeping destinations of the original of the above—mentioned input data to be a work item schedule number and an entry sequenced number, and is characterized by things.

[Translation done.]

Drawing selection Representative drawing -



[Translation done.]

## \* NOTICES \*

•

JPO and INPIT are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

### **DETAILED DESCRIPTION**

[Detailed Description of the Invention] [0001]

[Industrial Application] This invention incorporates into a personal computer the photograph and video image which were photographed in the construction site, and relates to the system which edits allotment of an album on a display, prints pasteboard with a printer, and creates an album. [0002]

[Description of the Prior Art] Conventionally, along with the construction schedule, a person in charge etc. take a site photograph, and collect and keep this, and the construction photo album was sticking, editing and creating it on the pasteboard of the album later. Therefore, the failure of a site photograph to photograph etc. arose, or it took time and effort management of the taken photograph, and creation of an album, such as taking time in edit, had become the complicated work which time requires. [0003]

[Means for Solving the Problem]This invention is originated in light of the above-mentioned circumstances, and that main technical problem is in providing a construction photo album album easily using a personal computer, managing a schedule.

preparing system which can choose optimal photograph and can create a construction photo [0004][Means for Solving the Problem]In order to solve an aforementioned problem, as shown in a

functional description figure of drawing 1, by this invention, It is a construction photo album preparing system using a personal computer and its peripheral equipment, (a) A photography scheduling means 1 to create a photography schedule which set a photography part, a photographing day, etc. with a work item schedule number which met in order of work based on a work schedule of . construction, (b) . photography The data input means 3 which inputs the image data input means 2 which inputs a site photograph carried out as image data, and related data, (c) The leakage judging means 4 in photography which judges leakage in photography of said photography schedule by existence of an input of photography completion information corresponding to . work item schedule number, and displays a decision result, (d) An identification code grant means 5 to give a work item schedule number exception to data in which the image data by which the . above-mentioned input was carried out, and others are related, and to give an identification code according to entry sequenced, (e) The data editing means 6 which data which the . above-mentioned input was carried out and was memorized is called for every work item schedule number, and sticks selected data on pasteboard area on a display set up for every above-mentioned work item schedule number, and edits it, (f) Technical means of consisting of the album preparing means 7 which outputs pasteboard data for every work item schedule number. creation of was done to the external display devices 8, such as a printer, and creates an album are provided. As data relevant to image data, All or some of alphabetic data, such as an explanatory note required for photographing instruction data of drawing data, such as photography data of others, such as aerial photograph, a map, and an engineering-drawing side, article moving routes, a camera station, a direction, an exposure time belt, close-up photography, partial photography, etc. and a work item, can be inputted. If the

identification code grant means 5 gives a code which indicates keeping destinations of the original of the above-mentioned input data to be a work item schedule number and an entry sequenced number when the storage warehouse 9 which keeps a film of an inputted site photograph is formed, it is convenient when presentation of a film is required.

[0005]

[Function]A work item schedule number is set up in order of work based on the work schedule of construction by the photography scheduling means 1, and the photography schedule which set a photography part, a photographing day, etc. for every work item schedule number is created. According to the above-mentioned photography schedule, the taken site photograph is inputted by the image data input means 2, and related data is inputted by the data input means 3. As related data, there is all, some, etc. of alphabetic data, such as an explanatory note required for the photographing instruction data of drawing data, such as photography data of others, such as aerial photograph, a map, and an engineering-drawing side, article moving routes, a camera station, a direction, an exposure time belt, close-up photography, partial photography, etc. and a work item. The leakage in photography of said photography schedule is judged and displayed by the leakage judging means 4 in photography by the existence of an input of the photography completion information corresponding to a photography schedule. The identification code grant means 5 gives an identification code to the data to which the image data inputted [ abovementioned ] and others relate a work item schedule number exception and according to entry sequenced. In this case, when the preservation warehouse 9 where the film of a site photograph is saved is formed, the code which shows the storage place of the film of a photograph may also be given collectively. Thus, the various data inputted and memorized is called for every work item schedule number by the data editing means 6. And data selected if needed is stuck and edited into the pasteboard data set up for every above-mentioned work item schedule number. Thus, the pasteboard data for every created work item schedule number is gathered as album data by the album preparing means 7, it outputs with the external display device 8, and an album is created.

# [0006]

ı <u>.</u>..

[Example] The preferred embodiment of the construction photo album preparing system of this invention is described to it, referring to drawings to below. This construction photo album system is provided with the camera 11 or the video camera 12 for taking a site photograph, as shown in drawing 2. It can incorporate suitably this camera 11 or the video camera 12 inputting the photoed data into the personal computer 20 directly, and inputting into the personal computer 20 the negative film developed in photography of the camera 11 with the NEGAPOJI reversal scanner 12 etc. by a method. Construction photo album creation software is installed in this personal computer 20, and as peripheral equipment The data input units 21, such as a keyboard and a mouse, The monitor 22, the external display device of printer (example of graphic display video copy processor) 23 grade, and the external memory devices 24, such as a magneto-optical disc, are connected.

[0007]Below, a construction photo album creation procedure is explained with reference to the flow chart of <u>drawing 3</u>. First, a photography calendar is created at Step 1. The entry-of-data methods include the following two kinds.

- (1) Based on . construction design specifications, it decides and inputs like a work day, and a work item name is inputted. It may enable it to choose a work item name from the list beforehand set up in the system.
- (2) You may also read like a process name and a work day from . working budget program or an operation-sheet preparing program.

Based on the work schedule inputted by the above-mentioned method, the work of the target construction is classified according to a job number and a work item schedule number by a photography scheduling means, and the photography schedule which defined a photography part, a photographing plan day, photographing order, etc. for every work item schedule number corresponding to the work-program day is created.

[0008] There are the following as data incorporated in addition to the data of a site photograph. \*\* A map ... map \*\* drawings, such as the circumference of construction ground and the spot ...

general drawing and the figure of a portion — in this case, although it may be a drawing as it is, if it is the figure which added an arrow, a mark, etc. to this, it is intelligible and convenient.

\*\* Article moving routes (inside of the inside of the spot, the on-site circumference, and a residential area, etc.)

\*\* Direction of the photograph \*\* spot complete view \*\* camera station direction \*\* light by aeronautical-navigation photography ... In a building, a river, and the sea, cautions are necessity \*\* exposure time belts.. In a building, a river, and the sea, when necessity \*\* close-up photography, partial photography, etc. need to be warned, an arrow, a telop, etc. are attached to a drawing.

The identification code same as a site photograph or associated data as a photograph can be attached, and these details can be recorded.

[0009]In Step 2, said photography schedule is outputted by printer 23 grade according to list form. A photography part, a photographing plan day, photographing order, etc. are provided in this photography schedule with the work item schedule number which met sequence of operation based on the work schedule of construction. Then, photography is performed by said camera 11 and the video camera 12 based on this photography calendar (Step 3).

[0010] The taken site photograph is Step 4 and is incorporated into a personal computer as image data. An example of the incorporation method is given to the next.

\*\* Input and digitize with a video camera.

photography schedule is corrected.

- \*\* Incorporate a photograph with a scanner. For example, many photographs are put in order and it reads with a scanner, and by computer, it separates automatically and incorporates one sheet at a time.
- \*\* It photographs one sheet at a time close with a digital camera, and read via an IC card or FD.

  \*\* Perform video photographing and download the picture by a freezeframe to a computer.

  [0011]If photography ends and the input of the image data of a site photograph is performed, the completion mark of photography and a photographing day will be inputted (Step 5). Based on this, the leakage in photography is displayed by the leakage judging means in photography, and double contrast radiography is prevented. That is, if a completion mark is inputted, the input day will turn into a photographing day, but correction of the date is possible when it differs from the input day of a completion mark. When the work of the spot is behind, the program like a work day is corrected, it doubles with this corrected work schedule, and the photographing plan day of a

[0012] About the work item schedule number of the photography schedule into which said completion mark is not inputted in the leakage judging means in photography even if it passes over the photographing plan day of a photography schedule, it expresses on a display as the color which carries out a flash plate or attracts red attention, and print—out is also possible (Step 6).

[0013]Next, in Step 7, an identification code is attached and arranged at entry sequenced to the site-photograph data and other associated data which were incorporated. Although a sequence number is attached to the incorporated data, it becomes easy to edit by combining with a work item schedule number later. It is preferred protection of a photographic film and for later to take out, and to create a storage list, since it is easy. In providing the cabinet for film storage, it becomes possible in inputting location data to make a location direct for every NEGAKESU number.

[0014] The example of the identification code of the site-photograph data in this example is shown below.

A10-121-03 — this identification code in the work item of the work item schedule number 10 of A construction, It can be shown that the identification code incorporated into the personal computer is data of 121 (it is the 121st at entry sequenced in this example), and the original is data of the photograph stored by the cabinet for film storage of the NEGAKESU number 3. [0015]In Step 8, since site-photograph data and associated data which were inputted [ above-mentioned ] are saved temporarily, it saves at a mass storage device (an example optical-magnetic disc equipment). Construction is completed, and it carries out by repeating the work to said steps 2-7 to the album editing for presentation, and stores in the mass storage device

are used, and it is referred to at it.

temporarily.

[0016] Thus, a film, a photograph, data, etc. which were saved temporarily can be arbitrarily called by using an identification code.

search condition example 1 A10-000-00 — the data of all the data, such as the photograph and drawing which are kept with the photography schedule number 10 of A construction by this search, a map, and explanation, is called the time of seeing the above-mentioned data — a display — eight top — it can scroll ten tops at a time, and the display magnification of only one sheet selected from them can also be changed and expanded.

Search condition All the photography data included in the NEGAKESU number 3 currently kept by example 2 A00-000-03A construction is called.

[0017] Next, in the data editing means of Step 10, edit of the album for presentation and the collection for in the company of data are created. Execution of an editing command will give a creation indication of the pasteboard area corresponding to a work item schedule number on a display. When performing the additional input of reference works, you make it a work item schedule number interlocked with.

\*\* All the data of a drawing \*\* work-progress-control figure \*\* all description-of-work sentence, a reflection comment \*\* staff, population, a man day, labor attendant managed software, a photograph, a drawing, a document that linkage also incorporated until now [possible \*\* weather \*\* days-of-operation \*\* editing work ], etc., etc. can be used.

[0018](b) By specifying work item schedule number, call the data of a photograph, explanation, a drawing, etc. remembered to be the pasteboard area of the same work item schedule number with the same schedule number in the data saved, and display on a display. When data is a large number, it chooses making it scroll.

(\*\*) Stick the data of a photograph, explanation, a drawing, etc. on . pasteboard area using a mouse. It adds, when pasteboard area is insufficient.

(\*\*) Display magnification is changed and it can check now by performing zoom UP to see . photograph, a map, etc. well.

By use of the correction (\*\*). paint software of - underexposure, such as 90 degrees of corrections rotation of correction and the longitudinal position of a check, trimming, and a horizontal position, and a side position, correction of a color, Correction of a light source position, change of a luminosity, change of a color, composite photograph, etc. are performed, and it can use for a client, a study group, a presentation, a commercial poster, etc. [0019] The data of a photograph, a map, a drawing, etc. incorporated with a different work item schedule number can also be crossed and used. If attachment of the data of a photograph, explanation, a drawing, etc. finishes with each pasteboard area, unfilled space will be removed automatically and it will be considered as the album data for one volume. The contents of album data are checked and substituted and an addition is considered. Addition of a page, addition of unfilled space, substitution of photography data, and removal can be performed if necessary. When explanation is insufficient, the additional input of the explanation data can be carried out. Staining of a title, a document, a map, a drawing, etc. and emphasis are also possible. [0020] Thus, the edited album data prints with printers, such as a color printer, at Step 11, binds a book after an output, and completes the album for presentation. -izing also of the data for inhouse education can be carried out [ album ] in the same procedure. It outputs with a printer (black and white or color), and can also be considered as a pamphlet. The slide for presentations and the manuscript for televisions can also be manufactured. It can also be considered as the development data of a new construction method using these data. In that case, the usage number of artificiality, labor attendant managed software, a drawing, a physical distribution, time,

[0021] If all the work finishes, it saves in the memory of a portable type at Step 11. In this example, all the data about one construction concerned, a photograph, and a drawing are saved at the optical disc of one sheet. This system has the advantage that the data of all the drawings which can be displayed on the display of a computer, a table, an explanatory note, etc. can be incorporated, and an album can be manufactured.

the weather, a technique, and machinery, hours worked, and the photograph put in order serially

[0022]

[Effect of the Invention] Above, according to this invention, a help can be lessened and shortening of time can be aimed at. A failure of a site photograph to take sets, and from a computer, a photograph calendar is doubled with a construction operation sheet, and is outputted so that there may be nothing. It is made easy to double with a photography schedule, to record the photograph taken in large quantities as data of a computer, to point to the location in a file management locker, and to take out later. On the computer, a presentation album is made once, the photograph to submit can be taken well, or a work item name is checked in the right, and since it can replace promptly if there is a photograph good for others, its accuracy of a presentation album improves. The drawing which can be taken out on a computer screen, a table, and all explanatory notes can be displayed on an album. Even the one construction related papers to a photograph and a drawing can save all on the disk of one sheet.

[Translation done.]

## \* NOTICES \*

JPO and INPIT are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

### **DESCRIPTION OF DRAWINGS**

[Brief Description of the Drawings]

[Drawing 1] It is a functional block diagram concerning the construction photo album preparing system of this invention.

[Drawing 2] It is a block diagram of the construction photo album preparing system in an example.

[Drawing 3]It is a flow chart which shows an album creation procedure.

[Drawing 4] It is an explanatory view showing the editing method displayed on a monitor.

[Description of Notations]

- 1 Photography scheduling means
- 2 Image data input means
- 3 Data input means
- 4 Leakage judging means in photography
- 5 Identification code grant means
- 6 Data editing means
- 8 External display device
- 7 Album preparing means
- 9 Preservation warehouse
- 11 Camera
- 12 Video camera
- 12 NEGAPOJI reversal scanner
- 20 Personal computer
- 21 Data input unit
- 22 Monitor
- 23 Printer
- 24 External memory device

[Translation done.]

# \* NOTICES \*

JPO and INPIT are not responsible for any damages caused by the use of this translation.

- 1. This document has been translated by computer. So the translation may not reflect the original precisely.
- 2.\*\*\*\* shows the word which can not be translated.
- 3.In the drawings, any words are not translated.

## WRITTEN AMENDMENT

[Written amendment]

[Filing date]December 25, Heisei 7

[Amendment 1]

[Document to be Amended] Specification

[Item(s) to be Amended]Whole sentence

[Method of Amendment] Change

[Proposed Amendment]

[Document Name] Specification

[Title of the Invention]Construction photo album preparing system

[Claim(s)]

[Claim 1]It is a construction photo album preparing system using a personal computer and its peripheral equipment,

A data input means which inputs an image data input means which inputs a taken site photograph as image data, and related data,

An identification code grant means to give an identification code to data in which the image data inputted [above-mentioned] and others are related at a type of jobs,

A data editing means which data which was inputted [ above-mentioned ] and memorized is called for every work item, and sticks selected data on pasteboard area on a display set up for every above-mentioned work item, and edits it,

A construction photo album preparing system consisting of an album preparing means which outputs pasteboard data for every created work item to external display devices, such as a printer, and creates an album.

[Claim 2]It is a construction photo album preparing system using a personal computer and its peripheral equipment,

Based on a work schedule of construction, in order of work with a work item schedule number which met A photography part, A data input means which inputs an image data input means which inputs a photography scheduling means to create a photography schedule which set a photographing day etc., and a taken site photograph, as image data, and related data,

A leakage judging means in photography which judges leakage in photography of said photography schedule by existence of an input of photography completion information corresponding to a work item schedule number, and displays a decision result,

An identification code grant means to give a work item schedule number exception to data in which the image data inputted [ above-mentioned ] and others are related, and to give an identification code according to entry sequenced,

A data editing means which data which was inputted [ above-mentioned ] and memorized is called for every work item schedule number, and sticks selected data on pasteboard area on a display set up for every above-mentioned work item schedule number, and edits it,

A construction photo album preparing system consisting of an album preparing means which outputs pasteboard data for every created work item schedule number to external display devices, such as a printer, and creates an album.

[Claim 3]Data relevant to image data Photography data of others, such as aerial photograph, The

construction photo album preparing system according to claim 1 consisting of all or some of alphabetic data, such as an explanatory note required for photographing instruction data of drawing data, such as a map and an engineering-drawing side, article moving routes, a camera station, a direction, an exposure time belt, close-up photography, partial photography, etc., and a work item.

[Claim 4] The construction photo album preparing system according to claim 1 which a storage warehouse which keeps the originals, such as a film etc. of an inputted site photograph, is provided, and an identification code grant means gives a code which indicates keeping destinations of the original of the above-mentioned input data to be a work item schedule number and an entry sequenced number, and is characterized by things.

[Detailed Description of the Invention]

[0001]

[Industrial Application] This invention incorporates into a personal computer the photograph and video image which were photographed in the construction site, and relates to the system which edits allotment of an album on a display, prints pasteboard with a printer, and creates an album. [0002]

[Description of the Prior Art] Conventionally, along with the construction schedule, a person in charge etc. take a site photograph, and collect and keep this, and the construction photo album was sticking, editing and creating it on the pasteboard of the album later. Therefore, the failure of a site photograph to photograph etc. arose, or it took time and effort management of the taken photograph, and creation of an album, such as taking time in edit, had become the complicated work which time requires.

[0003]

[Means for Solving the Problem] This invention is originated in light of the above-mentioned circumstances, and that main technical problem is in providing a construction photo album preparing system which can choose optimal photograph and can create a construction photo album easily using a personal computer, managing a schedule.

[0004]

[Means for Solving the Problem]In order to solve an aforementioned problem, in an invention of claim 1. It is a construction photo album preparing system using a personal computer and its peripheral equipment, (a). Establish a data input means which inputs an image data input means which inputs a site photograph of which . photography was done as image data, and related data. (-- b --). -- the above -- an input -- carrying out -- having had -- image data -- others -being related -- data -- a type of jobs -- an identification code -- giving -- an identification code -- grant -- a means -- providing -- (-- c --). -- the above -- an input -- carrying out -having -- memorizing -- having had -- data -- a work item -- every -- calling -- while. . Establish a data editing means which sticks selected data on pasteboard area on a display set up for every above-mentioned work item, and edits it. (d) Technical means of establishing an album preparing means which outputs pasteboard data for every work item, creation of was done to external display devices, such as a printer, and creates an album are provided. As an invention of claim 2 shows to a functional description figure of drawing 1, it is a construction photo album preparing system using a personal computer and its peripheral equipment, (A) Based on a work schedule of . construction, in order of work with a work item schedule number which met Photography part, . Form a photography scheduling means 1 to create a photography schedule which set a photographing day etc. (B). Establish the data input means 3 which inputs the image data input means 2 which inputs a site photograph of which . photography was done as image data, and related data. (C). Establish the leakage judging means 4 in photography which judges leakage in photography of said photography schedule by existence of an input of photography completion information corresponding to . work item schedule number, and displays a decision result. (D) to data in which the image data by which the above-mentioned input was carried out, and others are related. Call data which the (E). above-mentioned input which forms an identification code grant means 5 to give an identification code a work item schedule number exception and according to entry sequenced was carried out, and was memorized for every work item schedule number, and. . Establish the data editing means 6 which sticks selected data on

pasteboard area on a display set up for every above—mentioned work item schedule number, and edits it. (F) Technical means of establishing the album preparing means 7 which outputs pasteboard data for every work item schedule number. creation of was done to the external display devices 8, such as a printer, and creates an album are provided. As data relevant to image data, All or some of alphabetic data, such as an explanatory note required for photographing instruction data of drawing data, such as photography data of others, such as aerial photograph, a map, and an engineering—drawing side, article moving routes, a camera station, a direction, an exposure time belt, close—up photography, partial photography, etc. and a work item, can be inputted. If the identification code grant means 5 gives a code which indicates keeping destinations of the original of the above—mentioned input data to be a work item schedule number and an entry sequenced number when the storage warehouse 9 which keeps a film of an inputted site photograph is formed, it is convenient when presentation of a film is required.

## [0005]

[Function]In the invention of claim 1, the taken site photograph is inputted by an image data input means, and related data is inputted by a data input means. An identification code grant means gives an identification code to the data to which the image data inputted [ abovementioned I and others relate at a type of jobs. Thus, the various data inputted and memorized is called for every work item by a data editing means, sticks data selected if needed on the pasteboard data set up for every above-mentioned work item, and is edited. Thus, the pasteboard data for every created work item is gathered as album data by an album preparing means, it outputs with an external display device, and an album is created. In the invention of claim 2, a work item schedule number is set up in order of work based on the work schedule of construction by the photography scheduling means 1, and the photography schedule which set a photography part, a photographing day, etc. for every work item schedule number is created. According to the above-mentioned photography schedule, the taken site photograph is inputted by the image data input means 2, and related data is inputted by the data input means 3. As related data, there is all, some, etc. of alphabetic data, such as an explanatory note required for the photographing instruction data of drawing data, such as photography data of others, such as aerial photograph, a map, and an engineering-drawing side, article moving routes, a camera station, a direction, an exposure time belt, close-up photography, partial photography, etc. and a work item. The leakage in photography of said photography schedule is judged and displayed by the leakage judging means 4 in photography by the existence of an input of the photography completion information corresponding to a photography schedule. The identification code grant means 5 gives an identification code to the data to which the image data inputted [ abovementioned ] and others relate a work item schedule number exception and according to entry sequenced. In this case, when the preservation warehouse 9 where the film of a site photograph is saved is formed, the code which shows the storage place of the film of a photograph may also be given collectively. Thus, the various data inputted and memorized is called for every work item schedule number by the data editing means 6. And data selected if needed is stuck and edited into the pasteboard data set up for every above-mentioned work item schedule number. Thus, the pasteboard data for every created work item schedule number is gathered as album data by the album preparing means 7, it outputs with the external display device 8, and an album is created.

## [0006]

[Example] The preferred embodiment of the construction photo album preparing system of this invention is described to it, referring to drawings to below. This construction photo album system is provided with the camera 11 or the video camera 12 for taking a site photograph, as shown in drawing 2. It can incorporate suitably this camera 11 or the video camera 12 inputting the photoed data into the personal computer 20 directly, and inputting into the personal computer 20 the negative film developed in photography of the camera 11 with the NEGAPOJI reversal scanner 12 etc. by a method. Construction photo album creation software is installed in this personal computer 20, and as peripheral equipment The data input units 21, such as a keyboard and a mouse, The monitor 22, the external display device of printer (example of graphic display

video copy processor) 23 grade, and the external memory devices 24, such as a magneto-optical disc, are connected.

[0007]Below, a construction photo album creation procedure is explained with reference to the flow chart of <u>drawing 3</u>. First, a photography calendar is created at Step 1. The entry-of-data methods include the following two kinds.

- (1) Based on . construction design specifications, it decides and inputs like a work day, and a work item name is inputted. It may enable it to choose a work item name from the list beforehand set up in the system.
- (2) You may also read like a process name and a work day from . working budget program or an operation-sheet preparing program.

Based on the work schedule inputted by the above-mentioned method, the work of the target construction is classified according to a job number and a work item schedule number by a photography scheduling means, and the photography schedule which defined a photography part, a photographing plan day, photographing order, etc. for every work item schedule number corresponding to the work-program day is created.

[0008] There are the following as data incorporated in addition to the data of a site photograph.

- \*\* Map ... Maps, such as the circumference of construction ground and the spot
- \*\* Drawing ... General drawing, figure of a portion

In this case, although it may be a drawing as it is, if it is the figure which added an arrow, a mark, etc. to this, it is intelligible and convenient.

- \*\* Article moving routes (inside of the inside of the spot, the on-site circumference, and a residential area, etc.)
- \*\* The photograph by aeronautical-navigation photography
- \*\* An on-site complete view
- \*\* The camera station direction
- \*\* Direction of light ... Cautions are required in a building, a river, and the sea.
- \*\* Exposure time belt .. Cautions are required in a building, a river, and the sea.
- \*\* When close-up photography, partial photography, etc. are required, attach an arrow, a telop, etc. to a drawing.

The identification code same as a site photograph or associated data as a photograph can be attached, and these details can be recorded.

[0009]In Step 2, said photography schedule is outputted by printer 23 grade according to list form. A photography part, a photographing plan day, photographing order, etc. are provided in this photography schedule with the work item schedule number which met sequence of operation based on the work schedule of construction. Then, photography is performed by said camera 11 and the video camera 12 based on this photography calendar (Step 3).

[0010] The taken site photograph is Step 4 and is incorporated into a personal computer as image data. An example of the incorporation method is given to the next.

- \*\* Input and digitize with a video camera.
- \*\* Incorporate a photograph with a scanner. For example, many photographs are put in order and it reads with a scanner, and by computer, it separates automatically and incorporates one sheet at a time.
- \*\* It photographs one sheet at a time close with a digital camera, and read via an IC card or FD.
- \*\* Perform video photographing and download the picture by a freezeframe to a computer.

[0011]If photography ends and the input of the image data of a site photograph is performed, the completion mark of photography and a photographing day will be inputted (Step 5). Based on this, the leakage in photography is displayed by the leakage judging means in photography, and double contrast radiography is prevented. That is, if a completion mark is inputted, the input day will turn into a photographing day, but correction of the date is possible when it differs from the input day of a completion mark. When the work of the spot is behind, the program like a work day is corrected, it doubles with this corrected work schedule, and the photographing plan day of a photography schedule is corrected.

[0012] About the work item schedule number of the photography schedule into which said completion mark is not inputted in the leakage judging means in photography even if it passes

over the photographing plan day of a photography schedule, it expresses on a display as the color which carries out a flash plate or attracts red attention, and print-out is also possible (Step 6).

[0013]Next, in Step 7, an identification code is attached and arranged at entry sequenced to the site-photograph data and other associated data which were incorporated. Although a sequence number is attached to the incorporated data, it becomes easy to edit by combining with a work item schedule number later. It is preferred protection of a photographic film and for later to take out, and to create a storage list, since it is easy. In providing the cabinet for film storage, it becomes possible in inputting location data to make a location direct for every NEGAKESU number.

[0014] The example of the identification code of the site-photograph data in this example is shown below.

## A10-121-03

In the work item of the work item schedule number 10 of A construction this identification code, It can be shown that the identification code incorporated into the personal computer is data of 121 (it is the 121st at entry sequenced in this example), and the original is data of the photograph stored by the cabinet for film storage of the NEGAKESU number 3.

[0015]In Step 8, since site-photograph data and associated data which were inputted [ above-mentioned ] are saved temporarily, it saves at a mass storage device (an example optical-magnetic disc equipment). Construction is completed, and it carries out by repeating the work to said steps 2-7 to the album editing for presentation, and stores in the mass storage device temporarily.

[0016] Thus, a film, a photograph, data, etc. which were saved temporarily can be arbitrarily called by using an identification code.

Search condition Example 1 A10-000-00

The data of all the data, such as the photograph and drawing which are kept with the photography schedule number 10 of A construction by this search, a map, and explanation, is called the time of seeing the above-mentioned data — a display — eight top — it can scroll ten tops at a time, and the display magnification of only one sheet selected from them can also be changed and expanded.

Search condition Example 2 A00-000-03

All the photography data included in the NEGAKESU number 3 currently kept by A construction is called.

[0017]Next, in the data editing means of Step 10, edit of the album for presentation and the collection for in the company of data are created. Execution of an editing command will give a creation indication of the pasteboard area corresponding to a work item schedule number on a display. When performing the additional input of reference works, you make it a work item schedule number interlocked with.

- \*\* DRAWINGS
- \*\* Work-progress-control figure
- \*\* All the description-of-work sentences, a reflection comment
- \*\* A staff, population, a man day, labor attendant managed software, and linkage are also possible.
- \*\* Weather
- \*\* Days of operation
- \*\* Editing work

All the data of a photograph, a drawing, a document, etc. which were incorporated until now can be used.

[0018](b) By specifying work item schedule number, call the data of a photograph, explanation, a drawing, etc. remembered to be the pasteboard area of the same work item schedule number with the same schedule number in the data saved, and display on a display. When data is a large number, it chooses making it scroll.

(\*\*) Stick the data of a photograph, explanation, a drawing, etc. on . pasteboard area using a mouse. It adds, when pasteboard area is insufficient.

(\*\*) Display magnification is changed and it can check now by performing zoom UP to see . photograph, a map, etc. well.

## Check

- Trimming
- Correction of a horizontal position
- Correction of a longitudinal position and a side position

## 90-degree rotation etc.

- Correction of a underexposure
- (\*\*) Correction of a color, revision of a light source position, change of a luminosity, change of a color, composite photograph, etc. are performed by use of . paint software, and it can use for a client, a study group, a presentation, a commercial poster, etc.

[0019]The data of a photograph, a map, a drawing, etc. incorporated with a different work item schedule number can also be crossed and used. If attachment of the data of a photograph, explanation, a drawing, etc. finishes with each pasteboard area, unfilled space will be removed automatically and it will be considered as the album data for one volume. The contents of album data are checked and substituted and an addition is considered. Addition of a page, addition of unfilled space, substitution of photography data, and removal can be performed if necessary. When explanation is insufficient, the additional input of the explanation data can be carried out. Staining of a title, a document, a map, a drawing, etc. and emphasis are also possible. [0020] Thus, the edited album data prints with printers, such as a color printer, at Step 11, binds a book after an output, and completes the album for presentation. -izing also of the data for inhouse education can be carried out [ album ] in the same procedure. It outputs with a printer (black and white or color), and can also be considered as a pamphlet. The slide for presentations and the manuscript for televisions can also be manufactured. It can also be considered as the development data of a new construction method using these data. In that case, the usage number of artificiality, labor attendant managed software, a drawing, a physical distribution, time, the weather, a technique, and machinery, hours worked, and the photograph put in order serially are used, and it is referred to at it.

[0021] If all the work finishes, it saves in the memory of a portable type at Step 11. In this example, all the data about one construction concerned, a photograph, and a drawing are saved at the optical disc of one sheet. This system has the advantage that the data of all the drawings which can be displayed on the display of a computer, a table, an explanatory note, etc. can be incorporated, and an album can be manufactured.

[0022]

[Effect of the Invention] Above, according to this invention, a help can be lessened and shortening of time can be aimed at. A failure of a site photograph to take sets, and from a computer, a photograph calendar can be doubled with a construction operation sheet, and can be outputted so that there may be nothing. It can be made easy to double with a photography schedule, to record the photograph taken in large quantities as data of a computer, to point to the location in a file management locker, and to take out later. On the computer, a presentation album is made once, the photograph to submit can be taken well, or a work item name is checked in the right, and since it can replace promptly if there is a photograph good for others, its accuracy of a presentation album improves. The drawing which can be taken out on a computer screen, a table, and all explanatory notes can be displayed on an album. Even the one construction related papers to a photograph and a drawing can save all on the disk of one sheet.

# [Brief Description of the Drawings]

[Drawing 1] It is a functional block diagram concerning the construction photo album preparing system of this invention.

[Drawing 2]It is a block diagram of the construction photo album preparing system in an example.

[Drawing 3]It is a flow chart which shows an album creation procedure.

[Drawing 4] It is an explanatory view showing the editing method displayed on a monitor.

[Description of Notations]

- 1 Photography scheduling means
- 2 Image data input means
- 3 Data input means
- 4 Leakage judging means in photography
- 5 Identification code grant means
- 6 Data editing means
- 8 External display device
- 7 Album preparing means
- 9 Preservation warehouse
- 11 Camera
- 12 Video camera
- 12 NEGAPOJI reversal scanner
- 20 Personal computer
- 21 Data input unit
- 22 Monitor
- 23 Printer
- 24 External memory device

[Translation done.]

## (19) 日本国特許庁 (JP)

# (12) 公開特許公報(A)

(11)特許出願公開番号

# 特開平8-185447

(43)公開日 平成8年(1996)7月16日


(51) Int.Cl. <sup>6</sup>	識別記号 庁内整理番号	FI	技術表示箇所
G 0 6 F 17/60 B 4 2 D 1/08	Z	G 0 6 F	15/ 21 R
		審査請求	未請求 請求項の数3 FD (全 12 頁)
(21)出願番号	特願平6-339079	(71)出願人	000190297 新キャタピラー三菱株式会社
(22)出願日	平成6年(1994)12月27日	(72)発明者	東京都世田谷区用賀四丁目10番1号 奥山 哲也 北海道札幌市豊平区里塚2条6丁目3-5 北海道キャタピラー三菱建機販売株式会 社内
		(72)発明者	安保 寿也 北海道札幌市豊平区里塚2条6丁目3-5 北海道キャタピラー三菱建機販売株式会 社内
		(74)代理人	
			最終頁に続く

## (54) 【発明の名称】 工事写真アルバム作成システム

## (57)【要約】 (修正有)

【目的】パーソナルコンピュータを用いて、スケジュールを管理しながら最適の写真を選択して工事写真アルバムを簡単に作成する。

【構成】工事の作業スケジュールを基に、作業順に沿った工種スケジュール番号で撮影個所、撮影日等を定めた撮影スケジュール作成手段1、現場写真のイメージデータを入力するイメージデータ入力手段2、関連データを入力する関連データ入力手段3、撮影スケジュールの撮影漏れを判定する撮影漏れ判定手段4、入力されたデータに識別コードを付与する識別コード付与手段5、及び入力されたデータを工種スケジュール番号毎に呼び出すと共に、選択されたデータをディスプレイ上の台紙エリアに貼り付けて編集するデータ編集手段6を備え、工種スケジュール番号毎の台紙データをプリンタ等の外部表示装置8に出力してアルバムを作成する。



#### 【特許請求の範囲】

【請求項1】 パーソナルコンピュータとその周辺装置を用いた工事写真アルバム作成システムであって、

工事の作業スケジュールを基に作業順に沿った工種スケジュール番号で撮影個所、撮影日等を定めた撮影スケジュールを作成する撮影スケジュール作成手段と、

撮影された現場写真をイメージデータとして入力するイメージデータ入力手段および関連するデータを入力する データ入力手段と、

工種スケジュール番号に対応する撮影完了データの入力 10 の有無により前記撮影スケジュールの撮影漏れを判定し 判定結果を表示する撮影漏れ判定手段と、

上記入力されたイメージデータその他の関連するデータ に、工種スケジュール番号別、入力順別に識別コードを 付与する識別コード付与手段と、

上記入力されて記憶されたデータを工種スケジュール番号毎に呼び出すと共に、選択されたデータを上記工種スケジュール番号毎に設定されたディスプレイ上の台紙エリアに貼り付けて編集するデータ編集手段と、

作成された工種スケジュール番号毎の台紙データをプリンタ等の外部表示装置に出力してアルバムを作成するアルバム作成手段とからなることを特徴とする工事写真アルバム作成システム。

【請求項2】 イメージデータに関連するデータが、航空写真等のその他の写真データ、地図や設計図面等の図面データ、物品移動ルート、撮影位置や方向、撮影時間帯、クローズアップ撮影や部分撮影等の撮影指示データ、工種に必要な説明文等の文字データの全部または一部からなっていることを特徴とする請求項1に記載の工事写真アルバム作成システム。

【請求項3】 入力された現場写真のフィルム等の原本を保管する保管庫を設けると共に、識別コード付与手段が、工種スケジュール番号と入力順番号と、上記入力データの原本の保管先を示すコードを付与してなることを特徴とする請求項1に記載の工事写真アルバム作成システム。

### 【発明の詳細な説明】

[0001]

【産業上の利用分野】この発明は、工事現場で撮った写真やビデオ画像をパーソナルコンピュータに取り込み、ディスプレイ上でアルバムの割付けを編集しプリンターで台紙を印刷しアルバムを作成するシステムに関する。 【0002】

【従来の技術】従来、工事写真アルバムは、工事スケジュールに沿って、担当者等が現場写真を撮影し、これを集めて保管しておき、後でアルバムの台紙に貼り付けて編集して作成していた。従って、現場写真の撮り忘れなどが生じたり、撮影した写真の管理に手間がかかり、編集に手間どるなどアルバムの作成は時間のかかる頃雑な作業となっていた。

[0003]

【問題点を解決するための手段】この発明は上記事情に 鑑みて創案されたものであって、その主たる課題は、パーソナルコンピュータを用いて、スケジュールを管理し ながら最適の写真を選択して工事写真アルバムを簡単に 作成することができる工事写真アルバム作成システムを 提供することにある。

2

[0004]

【問題点を解決するための手段】上記課題を解決するた めに、この発明では、図1の機能説明図に示すように、 パーソナルコンピュータとその周辺装置を用いた工事写 真アルバム作成システムであって、(a)、工事の作業スケ ジュールを基に作業順に沿った工種スケジュール番号で 撮影個所、撮影日等を定めた撮影スケジュールを作成す る撮影スケジュール作成手段1と、(b). 撮影された現場 写真をイメージデータとして入力するイメージデータ入 カ手段2および関連するデータを入力するデータ入力手 段3と、(c). 工種スケジュール番号に対応する撮影完了 データの入力の有無により前記撮影スケジュールの撮影 漏れを判定し判定結果を表示する撮影漏れ判定手段4 と、(d). 上記入力されたイメージデータその他の関連す るデータに、工種スケジュール番号別、入力順別に識別 コードを付与する識別コード付与手段5と、(e). 上記入 力されて記憶されたデータを工種スケジュール番号毎に 呼び出すと共に、選択されたデータを上記工種スケジュ ール番号毎に設定されたディスプレイ上の台紙エリアに 貼り付けて編集するデータ編集手段6と、(f).作成され た工種スケジュール番号毎の台紙データをプリンタ等の 外部表示装置8に出力してアルバムを作成するアルバム 30 作成手段7とからなる、という技術的手段を講じてい る。また、イメージデータに関連するデータとしては、 航空写真等のその他の写真データ、地図や設計図面等の 図面データ、物品移動ルート、撮影位置や方向、撮影時 間帯、クローズアップ撮影や部分撮影等の撮影指示デー タ、工種に必要な説明文等の文字データの全部または一 部を入力することができる。更に、入力された現場写真 のフィルムを保管する保管庫9を設けた場合に、識別コ ード付与手段5が、工種スケジュール番号と入力順番号 と、上記入力データの原本の保管先を示すコードを付与 40 すれば、フィルムの提出が必要な場合などに便利であ る。

[0005]

【作用】撮影スケジュール作成手段1によって工事の作業スケジュールを基に作業順に工種スケジュール番号を設定し、各工種スケジュール番号毎に撮影個所、撮影日等を定めた撮影スケジュールを作成する。上記撮影スケジュールに従って、撮影された現場写真をイメージデータ入力手段2により入力し、また関連するデータをデータ入力手段3で入力する。関連するデータとしては、航空写真等のその他の写真データ、地図や設計図面等の図

面データ、物品移動ルート、撮影位置や方向、撮影時間 帯、クローズアップ撮影や部分撮影等の撮影指示デー タ、工種に必要な説明文等の文字データの全部または一 部等がある。また、撮影スケジュールに対応する撮影完 了データの入力の有無により、撮影漏れ判定手段4で前 記撮影スケジュールの撮影漏れを判定し、表示する。上 記入力されたイメージデータその他の関連するデータに は、識別コード付与手段5で、工種スケジュール番号 別、入力順別に識別コードを付与する。この際に現場写 真のフィルムを保存する保存庫9を設けている場合に は、写真のフィルムの収納先を示すコードも併せて付与 してもよい。このようにして入力され記憶された各種デ ータは、データ編集手段6により工種スケジュール番号 毎に呼び出される。そして必要に応じて選択されたデー タを上記工種スケジュール番号毎に設定された台紙デー 夕に貼り付けて編集する。このようにして作成された工 種スケジュール番号毎の台紙データは、アルバム作成手 段7によってアルバムデータとしてまとめられ、外部表 示装置8で出力してアルバムが作成される。

#### [0006]

【実施例】以下に、この発明の工事写真アルバム作成システムの好適実施例を図面を参照しつつ説明する。この工事写真アルバムシステムは、図2に示すように現場写真を撮影するためのカメラ11またはビデオカメラ12は撮影されたデータを直接にパーソナルコンピュータ20に入力し、またカメラ11の撮影では現像されたネガフィルムをネガポジ反転スキャナー12でパーソナルコンピュータ20に入力する等の適宜方法で取り込むことができる。このパーソナルコンピュータ20には工事写真 30アルバム作成ソフトがインストールされており、また周辺装置としてキーボードやマウス等のデータ入力装置21と、モニター22やプリンター(図示例ではビデオコピープロセッサ)23等の外部表示装置と、光磁気ディスク等の外部メモリ装置24が接続されている。

【0007】次ぎに、工事写真アルバム作成手順を図3のフローチャートを参照して説明する。はじめに、ステップ1で写真撮影スケジュール表が作成される。データの入力方法としては次の2通りがある。

- (1). 工事設計書に基づいて作業日程を決め入力し、また 40 工種名を入力する。工種名はシステム内に予め設定した 一覧から選べるようにしてもよい。
- (2). 実行予算プログラムや工程表作成プログラムより、工程名・作業日程を読み込んでもよい。

上記の方法で入力された作業スケジュールを基に、撮影スケジュール作成手段で対象となる工事の作業を工事番号、工種スケジュール番号で分類し、作業予定日に対応して工種スケジュール番号毎に撮影個所、撮影予定日、撮影順序等を定めた撮影スケジュールを作成する。

【0008】現場写真のデータ以外に取り込むデータと 50 て、フラッシュするか赤色等の注意を引く色でディスプ

しては以下のものがある。

- ① 地図・・・工事地所、現場周辺等の地図
- ② 図面・・・全体図、部分の図

この場合、図面そのままであってもよいが、これに矢印やマーク等を付加した図であれば分かりやすくて便利である。

- ③ 物品移動ルート (現場内、現場周辺、住宅地内等)
- ④ 航空撮影による写真
- ⑤ 現場全景
- 10 ⑥ 撮影位置方向
  - ⑦ 光の向き・・・建築物、河川、海などでは注意が必要
  - ® 撮影時間帯・・建築物、河川、海などでは注意が必要
  - ⑨ クローズアップ撮影、部分撮影等の必要な場合には、図面に矢印やテロップ等を付ける。

これらの詳細を現場写真と共に、あるいは関連データとして写真と同様の識別コードをつけて記録することができる。

- 20 【0009】ステップ2では、プリンター23等により前記撮影スケジュールがリスト形式で出力される。この撮影スケジュールには、工事の作業スケジュールを基に作業順序に沿った工種スケジュール番号で撮影個所、撮影予定日、撮影順序等が定められている。そこで、この撮影スケジュール表に基づいて前記カメラ11やビデオカメラ12で撮影が行われる(ステップ3)。
  - 【0010】撮影された現場写真はステップ4で、イメージデータとしてパーソナルコンピュータに取り込まれる。取り込み方法の一例を次に挙げる。
- 30 ① ビデオカメラで入力し、デジタル化する。
  - ② スキャナーで写真を取り込む。例えば写真を多数並べてスキャナーで読取りコンピュータで自動的に切り離して1枚づつ取り込む。
  - ③ デジタルカメラで1枚づつ接写し、ICカードまたはFDを介し読取る。
  - ④ ビデオ撮影を行い、ストップモーションによる画像 をコンピュータに取り込む。

【0011】撮影が済み現場写真のイメージデータの入力が行われると、撮影完了マークと撮影日が入力される(ステップ5)。これに基づき撮影漏れ判定手段で撮影漏れを表示し二重撮影が防止される。即ち、完了マークが入力されるとその入力日が撮影日となるが、完了マークの入力日と異なる時は、日付の修正が可能である。現場の作業が遅れている時は作業日程の日程表を修正し、この修正された作業スケジュールに合わせ、撮影スケジュールの撮影予定日の修正を行う。

【0012】撮影漏れ判定手段では、撮影スケジュールの撮影予定日を過ぎても前記完了マークが入力されていない撮影スケジュールの工種スケジュール番号について、フラッシュオるか素色等の注意を引く色でディスプ

レイに表示し、またプリントアウトも可能である(ステップ6)。

【0013】次ぎに、ステップ7では、取り込んだ現場写真データその他の関連データに入力順に識別コードを付して整理する。取り込んだデータに連続番号を付けるが、工種スケジュール番号と組合わせることにより、後で編集しやすくなる。また、写真フィルムの保護や、後日の取出し容易のため保管リストを作成することが好ましい。フィルム保管用キャビネットを設ける場合には、ロケーションデータを入力しておくことで、ネガケース 10番号ごとにロケーションを指示させることが可能となる。

【0014】本実施例における現場写真データの識別コードの例を次に示す。

A 1 0 - 1 2 1 - 0 3

この識別コードは、A工事の工種スケジュール番号10の工種において、パーソナルコンピュータに取り込んだ 識別コードが121 (本実施例では入力順で121番目)のデータであって、原本はネガケース番号3のフィルム保管用キャビネットに収納されている写真のデータ 20 であることを示すことができる。

【0015】ステップ8では、上記入力された現場写真 データや関連データを一時的に保存するために大容量の メモリ装置(実施例では光磁気ディスク装置)に保存す る。工事が完了し、提出用アルバム編集まで前記ステッ プ2~7までの作業を繰り返し行い、一時的に大容量の メモリ装置にストアしていく。

【0016】このように一時保存したフィルム、写真、 資料等は識別コードを用いることにより任意に呼び出す ことができる。

#### 検索条件 例1 A10-000-00

この検索により、A工事の撮影スケジュール番号10で保管されている写真、図面、地図、説明等の全ての資料のデータを呼び出す。上記データを見るときには、ディスプレイに8コマ~10コマブつスクロールさせることができ、その中から選択した1枚だけの表示倍率を変更し拡大することもできる。

検索条件 例2 A00-000-03

A工事で保管されているネガケース番号3に入っている 写真データのすべてを呼び出す。

【0017】次ぎに、ステップ10のデータ編集手段では、提出用アルバムの編集と社内用データ集が作成される。編集コマンドを実行すると、工種スケジュール番号に対応する台紙エリアがディスプレイ上に作成表示される。参考資料の追加入力を行う場合には工種スケジュール番号と連動させておく。

- ① 図面
- ② 出来形管理図
- ③ 全工事の説明文、反省コメント
- ④ 人員、人口、工数、出面管理ソフトと連動も可能

- ⑤ 天候
- ⑥ 稼働日数
- ⑦ 編集作業

いままで取り込んだ写真、図面、文書等のデータはすべて利用することができる。

【0018】(イ). 工種スケジュール番号を指定することにより、同一工種スケジュール番号の台紙エリアと、保存されているデータ中の同一スケジュール番号で記憶されている写真、説明、図面等のデータを呼び出しディスプレイ上に表示する。データが多数の時はスクロールさせながら選ぶ。

(ロ). 台紙エリア上に、マウスを利用して写真、説明、図面等のデータを貼り付ける。台紙エリアが不足の時は追加する。

(A). 写真や地図等を良く見たいときは、表示倍率を変更 してズームUPを行い確認できるようになっている。

#### 確認

- ・トリミング
- ・水平位置の修正
- 20 ・縦位置、横位置の修正
  - 90°回転等
  - ・露光不足の修正

(こ). ペイントソフトの利用で色の修正、光源位置の修正、明るさの変更、色の変更、合成写真、等を行い施工主と研究会やプレゼンテーション、コマーシャルポスター等に利用できる。

【0019】また、異なる工種スケジュール番号で取り 込んである写真、地図、図面等のデータをクロスして利 用することもできる。各台紙エリアに写真、説明、図面 30 等のデータの貼り付けが終わったら、余白を自動的に取 り除き、1冊分のアルバムデータとする。アルバムデー 夕の内容をチェックして差し替え、追加を検討する。必 要があれば、頁の追加、余白の追加、写真データの差替 え、取り外しを行うことができる。説明不足の場合には 説明データを追加入力することができる。タイトル、文 書、地図、図面等の色付け、強調も可能である。

【0020】このようにして編集されたアルバムデータは、ステップ11でカラープリンター等の印刷装置により印刷を行い、出力後に製本を行って提出用アルバムを完成させる。また、社内教育用資料も同様の手順でアルバム化できる。プリンター(白黒またはカラー)で出力し、パンフレットとすることもできる。更に、プレゼンテーション用のスライド、テレビ用原稿を製作することもできる。また、これらのデータを用いて新施工法の開発資料とすることもできる。その際に、人工、出面管理ソフト、図面、物流、時間、天候、手法、機械の使用数、稼働時間、時系列的に並べた写真を利用し参考とする。

【0021】すべての作業が終わったらステップ11で 50 可搬式のメモリに保存する。本実施例では当該1工事に

関する全ての資料、写真、図面を1枚の光ディスクに保存する。このシステムはコンピュータのディスプレイに表示することが可能な全ての図面、表、説明文などのデータを組入れてアルバムを製作することができるという利点を有する。

#### [0022]

【発明の効果】以上この発明によれば、人手を少なくして、時間の短縮を図ることができる。現場写真の取り忘れがおきないよう写真スケジュール表をコンピュータより工事工程表に合わせ出力する。写真撮影スケジュール 10 に合わせ、大量に撮影した写真をコンピュータのデータとして記録し、ファイル管理ロッカー内ロケーションを指示し、後で取り出し易くする。コンピュータ上で、提出アルバムを一度作り、提出する写真が良く撮れているか、工種名は正しいか確認し、他に良い写真があれば直ちに置き換えることができるので提出アルバムの精度が向上する。コンピュータ画面上に出せる図面、表、説明文すべてをアルバムに表示できる。 一つの工事関係書類から写真、図面まで全てを1枚のディスクに保存できる。

## 【図面の簡単な説明】

【図1】この発明の工事写真アルバム作成システムにかかる機能プロック図である。

【図2】実施例における工事写真アルバム作成システム

のプロック図である。

【図3】アルパム作成手順を示すフローチャートである。


8

【図4】モニターに表示される編集方法を示す説明図である。


#### 【符号の説明】

- 1 撮影スケジュール作成手段
- 2 イメージデータ入力手段
- 3 データ入力手段
- 4 撮影漏れ判定手段
  - 5 識別コード付与手段
- 6 データ編集手段
- 8 外部表示装置
- 7 アルバム作成手段
- 9 保存庫
- 11 カメラ
- 12 ビデオカメラ
- 12 ネガポジ反転スキャナー
- 20 パーソナルコンピュータ
- 20 21 データ入力装置
  - 22 モニター
  - 23 プリンター
  - 24 外部メモリ装置


【図1】




# 【図2】



# [図4]



【図3】



【手統補正書】

【提出日】平成7年12月25日

【手続補正1】

【補正対象書類名】明細書

【補正対象項目名】全文

【補正方法】変更

【補正内容】

【書類名】 明細書

【発明の名称】 工事写真アルバム作成システム

【特許請求の範囲】

【請求項1】 パーソナルコンピュータとその周辺装置を用いた工事写真アルバム作成システムであって、

撮影された現場写真をイメージデータとして入力するイメージデータ入力手段および関連するデータを入力する データ入力手段と、

上記入力されたイメージデータその他の関連するデータ に工種別に識別コードを付与する識別コード付与手段 と、

上記入力されて記憶されたデータを工種毎に呼び出すと 共に、選択されたデータを上記工種毎に設定されたディ スプレイ上の台紙エリアに貼り付けて編集するデータ編 集手段と、

作成された工種毎の台紙データをプリンタ等の外部表示 装置に出力してアルバムを作成するアルバム作成手段と からなることを特徴とする工事写真アルバム作成システ ム。

【請求項2】 パーソナルコンピュータとその周辺装置を用いた工事写真アルバム作成システムであって、

工種スケジュール番号に対応する撮影完了データの入力 の有無により前記撮影スケジュールの撮影漏れを判定し 判定結果を表示する撮影漏れ判定手段と、

上記入力されたイメージデータその他の関連するデータ に、工種スケジュール番号別、入力順別に識別コードを 付与する識別コード付与手段と、

上記入力されて記憶されたデータを工種スケジュール番号毎に呼び出すと共に、選択されたデータを上記工種スケジュール番号毎に設定されたディスプレイ上の台紙エリアに貼り付けて編集するデータ編集手段と、

作成された工種スケジュール番号毎の台紙データをプリンタ等の外部表示装置に出力してアルバムを作成するアルバム作成手段とからなることを特徴とする工事写真アルバム作成システム。

【請求項3】 イメージデータに関連するデータが、航空写真等のその他の写真データ、地図や設計図面等の図

面データ、物品移動ルート、撮影位置や方向、撮影時間 帯、クローズアップ撮影や部分撮影等の撮影指示デー タ、工種に必要な説明文等の文字データの全部または一 部からなっていることを特徴とする請求項1に記載の工 事写真アルバム作成システム。

【請求項4】 入力された現場写真のフィルム等の原本を保管する保管庫を設けると共に、識別コード付与手段が、工種スケジュール番号と入力順番号と、上記入力データの原本の保管先を示すコードを付与してなることを特徴とする請求項1に記載の工事写真アルバム作成システム。

#### 【発明の詳細な説明】

[0001]

【産業上の利用分野】この発明は、工事現場で撮った写真やビデオ画像をパーソナルコンピュータに取り込み、ディスプレイ上でアルバムの割付けを編集しプリンターで台紙を印刷しアルバムを作成するシステムに関する。

[0002]

【従来の技術】従来、工事写真アルバムは、工事スケジュールに沿って、担当者等が現場写真を撮影し、これを集めて保管しておき、後でアルバムの台紙に貼り付けて編集して作成していた。従って、現場写真の撮り忘れなどが生じたり、撮影した写真の管理に手間がかかり、編集に手間どるなどアルバムの作成は時間のかかる煩雑な作業となっていた。

#### [0003]

【問題点を解決するための手段】この発明は上記事情に鑑みて創案されたものであって、その主たる課題は、パーソナルコンピュータを用いて、スケジュールを管理しながら最適の写真を選択して工事写真アルバムを簡単に作成することができる工事写真アルバム作成システムを提供することにある。

### [0004]

【問題点を解決するための手段】上記課題を解決するた めに、請求項1の発明では、パーソナルコンピュータと その周辺装置を用いた工事写真アルバム作成システムで あって、(a). 撮影された現場写真をイメージデータ として入力するイメージデータ入力手段および関連する データを入力するデータ入力手段を設ける、(b).上 記入力されたイメージデータその他の関連するデータに 工種別に識別コードを付与する識別コード付与手段を設 ける、(c). 上記入力されて記憶されたデータを工種 毎に呼び出すと共に、選択されたデータを上記工種毎に 設定されたディスプレイ上の台紙エリアに貼り付けて編 集するデータ編集手段を設ける、(d). 作成された工 種毎の台紙データをプリンタ等の外部表示装置に出力し てアルバムを作成するアルバム作成手段を設ける、とい う技術的手段を講じている。また、請求項2の発明で は、図1の機能説明図に示すように、パーソナルコンピ

ュータとその周辺装置を用いた工事写真アルバム作成シ ステムであって、(A). 工事の作業スケジュールを基 に作業順に沿った工種スケジュール番号で撮影個所、撮 影日等を定めた撮影スケジュールを作成する撮影スケジ ュール作成手段1を設ける、(B). 撮影された現場写 真をイメージデータとして入力するイメージデータ入力 手段2および関連するデータを入力するデータ入力手段 3を設ける、(C). 工種スケジュール番号に対応する 撮影完了データの入力の有無により前記撮影スケジュー ルの撮影漏れを判定し判定結果を表示する撮影漏れ判定 手段4を設ける、(D). 上記入力されたイメージデー タその他の関連するデータに、工種スケジュール番号 別、入力順別に識別コードを付与する識別コード付与手 段5を設ける、(E). 上記入力されて記憶されたデー 夕を工種スケジュール番号毎に呼び出すと共に、選択さ れたデータを上記工種スケジュール番号毎に設定された ディスプレイ上の台紙エリアに貼り付けて編集するデー タ編集手段 6 を設ける、(F). 作成された工種スケジ ュール番号毎の台紙データをプリンタ等の外部表示装置 8に出力してアルバムを作成するアルバム作成手段?を 設ける、という技術的手段を講じている。また、イメー ジデータに関連するデータとしては、航空写真等のその 他の写真データ、地図や設計図面等の図面データ、物品 移動ルート、撮影位置や方向、撮影時間帯、クローズア ップ撮影や部分撮影等の撮影指示データ、工種に必要な 説明文等の文字データの全部または一部を入力すること ができる。更に、入力された現場写真のフィルムを保管 する保管庫9を設けた場合に、識別コード付与手段5 が、工種スケジュール番号と入力順番号と、上記入力デ ータの原本の保管先を示すコードを付与すれば、フィル ムの提出が必要な場合などに便利である。

#### [0005]

【作用】請求項1の発明では、撮影された現場写真をイ メージデータ入力手段により入力し、また関連するデー タをデータ入力手段で入力する。上記入力されたイメー ジデータその他の関連するデータには、識別コード付与 手段で、工種別に識別コードを付与する。このようにし て入力され記憶された各種データは、データ編集手段に より工種毎に呼び出され、必要に応じて選択されたデー タを上記工種毎に設定された台紙データに貼り付けて編 集する。このようにして作成された工種毎の台紙データ は、アルバム作成手段によってアルバムデータとしてま とめられ、外部表示装置で出力してアルバムが作成され る。請求項2の発明では、撮影スケジュール作成手段1 によって工事の作業スケジュールを基に作業順に工種ス ケジュール番号を設定し、各工種スケジュール番号毎に 撮影個所、撮影日等を定めた撮影スケジュールを作成す る。上記撮影スケジュールに従って、撮影された現場写 真をイメージデータ入力手段2により入力し、また関連 するデータをデータ入力手段3で入力する。関連するデ

ータとしては、航空写真等のその他の写真データ、地図 や設計図面等の図面データ、物品移動ルート、撮影位置 や方向、撮影時間帯、クローズアップ撮影や部分撮影等 の撮影指示データ、工種に必要な説明文等の文字データ の全部または一部等がある。また、撮影スケジュールに 対応する撮影完了データの入力の有無により、撮影漏れ 判定手段4で前記撮影スケジュールの撮影漏れを判定 し、表示する。上記入力されたイメージデータその他の 関連するデータには、識別コード付与手段5で、工種ス ケジュール番号別、入力順別に識別コードを付与する。 この際に現場写真のフィルムを保存する保存庫9を設け ている場合には、写真のフィルムの収納先を示すコード も併せて付与してもよい。このようにして入力され記憶 された各種データは、データ編集手段6により工種スケ ジュール番号毎に呼び出される。そして必要に応じて選 択されたデータを上記工種スケジュール番号毎に設定さ れた台紙データに貼り付けて編集する。このようにして 作成された工種スケジュール番号毎の台紙データは、ア ルパム作成手段?によってアルパムデータとしてまとめ られ、外部表示装置8で出力してアルバムが作成され る。

#### [0006]

【実施例】以下に、この発明の工事写真アルバム作成システムの好適実施例を図面を参照しつつ説明する。この工事写真アルバムシステムは、図2に示すように現場写真を撮影するためのカメラ11またはビデオカメラ12を備えている。該カメラ11またはビデオカメラ12は撮影されたデータを直接にパーソナルコンピュータ20に入力し、またカメラ11の撮影では現像されたネガフィルムをネガポジ反転スキャナー12でパーソナルコンピュータ20に入力する等の適宜方法で取り込むことができる。このパーソナルコンピュータ20には工事写アルバム作成ソフトがインストールされており、また周辺装置としてキーボードやマウス等のデータ入力装置21と、モニター22やプリンター(図示例ではビデオコピープロセッサ)23等の外部表示装置と、光磁気ディスク等の外部メモリ装置24が接続されている。

【0007】次ぎに、工事写真アルバム作成手順を図3のフローチャートを参照して説明する。はじめに、ステップ1で写真撮影スケジュール表が作成される。データの入力方法としては次の2通りがある。

- (1). 工事設計書に基づいて作業日程を決め入力し、 また工種名を入力する。工種名はシステム内に予め設定 した一覧から選べるようにしてもよい。
- (2). 実行予算プログラムや工程表作成プログラムより、工程名・作業日程を読み込んでもよい。

上記の方法で入力された作業スケジュールを基に、撮影スケジュール作成手段で対象となる工事の作業を工事番号、工種スケジュール番号で分類し、作業予定日に対応して工種スケジュール番号毎に撮影個所、撮影予定日、

撮影順序等を定めた撮影スケジュールを作成する。

【0008】現場写真のデータ以外に取り込むデータとしては以下のものがある。

- ① 地図・・・工事地所、現場周辺等の地図
- ② 図面・・・全体図、部分の図

この場合、図面そのままであってもよいが、これに矢印やマーク等を付加した図であれば分かりやすくて便利である。

- ③ 物品移動ルート (現場内、現場周辺、住宅地内等)
- ④ 航空撮影による写真
- ⑤ 現場全景
- ⑥ 撮影位置方向
- ⑦ 光の向き・・・建築物、河川、海などでは注意が必要
- ® 撮影時間帯・・建築物、河川、海などでは注意が必要
- ⑨ クローズアップ撮影、部分撮影等の必要な場合には、図面に矢印やテロップ等を付ける。

これらの詳細を現場写真と共に、あるいは関連データと して写真と同様の識別コードをつけて記録することがで きる。

【0009】ステップ2では、プリンター23等により前記撮影スケジュールがリスト形式で出力される。この撮影スケジュールには、工事の作業スケジュールを基に作業順序に沿った工種スケジュール番号で撮影個所、撮影予定日、撮影順序等が定められている。そこで、この撮影スケジュール表に基づいて前記カメラ11やビデオカメラ12で撮影が行われる(ステップ3)。

【0010】撮影された現場写真はステップ4で、イメージデータとしてパーソナルコンピュータに取り込まれる。取り込み方法の一例を次に挙げる。

- ① ピデオカメラで入力し、デジタル化する。
- ② スキャナーで写真を取り込む。例えば写真を多数並べてスキャナーで読取りコンピュータで自動的に切り離して1枚づつ取り込む。
- ③ デジタルカメラで1枚づつ接写し、ICカードまたはFDを介し読取る。
- ④ ビデオ撮影を行い、ストップモーションによる画像をコンピュータに取り込む。

【0011】撮影が済み現場写真のイメージデータの入力が行われると、撮影完了マークと撮影日が入力される (ステップ5)。これに基づき撮影漏れ判定手段で撮影漏れを表示し二重撮影が防止される。即ち、完了マークが入力されるとその入力日が撮影日となるが、完了マークの入力日と異なる時は、日付の修正が可能である。現場の作業が遅れている時は作業日程の日程表を修正し、この修正された作業スケジュールに合わせ、撮影スケジュールの撮影予定日の修正を行う。

【0012】撮影漏れ判定手段では、撮影スケジュールの撮影予定日を過ぎても前記完了マークが入力されてい

ない撮影スケジュールの工種スケジュール番号について、フラッシュするか赤色等の注意を引く色でディスプレイに表示し、またプリントアウトも可能である(ステップ6)。

【0013】次ぎに、ステップ7では、取り込んだ現場 写真データその他の関連データに入力順に識別コードを 付して整理する。取り込んだデータに連続番号を付ける が、工種スケジュール番号と組合わせることにより、後 で編集しやすくなる。また、写真フィルムの保護や、後 日の取出し容易のため保管リストを作成することが好ま しい。フィルム保管用キャビネットを設ける場合には、 ロケーションデータを入力しておくことで、ネガケース 番号ごとにロケーションを指示させることが可能とな る。

【0014】本実施例における現場写真データの識別コードの例を次に示す。

A 1 0 - 1 2 1 - 0 3

この識別コードは、A工事の工種スケジュール番号10 の工種において、パーソナルコンピュータに取り込んだ 識別コードが121 (本実施例では入力順で121番 目)のデータであって、原本はネガケース番号3のフィ ルム保管用キャピネットに収納されている写真のデータ であることを示すことができる。

【0015】ステップ8では、上記入力された現場写真データや関連データを一時的に保存するために大容量のメモリ装置(実施例では光磁気ディスク装置)に保存する。工事が完了し、提出用アルバム編集まで前記ステップ2~7までの作業を繰り返し行い、一時的に大容量のメモリ装置にストアしていく。

【0016】このように一時保存したフィルム、写真、 資料等は識別コードを用いることにより任意に呼び出す ことができる。

検索条件 例1 A10-000-00

この検索により、A工事の撮影スケジュール番号10で保管されている写真、図面、地図、説明等の全ての資料のデータを呼び出す。上記データを見るときには、ディスプレイに8コマ~10コマブつスクロールさせることができ、その中から選択した1枚だけの表示倍率を変更し拡大することもできる。

検索条件 例2 A00-000-03

A工事で保管されているネガケース番号3に入っている 写真データのすべてを呼び出す。

【0017】次ぎに、ステップ10のデータ編集手段では、提出用アルバムの編集と社内用データ集が作成される。編集コマンドを実行すると、工種スケジュール番号に対応する台紙エリアがディスプレイ上に作成表示される。参考資料の追加入力を行う場合には工種スケジュール番号と連動させておく。

- ① 図面
- ② 出来形管理図

- ③ 全工事の説明文、反省コメント
- ④ 人員、人口、工数、出面管理ソフトと連動も可能
- ⑤ 天候
- ⑥ 稼働日数
- ⑦ 編集作業

いままで取り込んだ写真、図面、文書等のデータはすべて利用することができる。

【0018】(イ). 工種スケジュール番号を指定することにより、同一工種スケジュール番号の台紙エリアと、保存されているデータ中の同一スケジュール番号で記憶されている写真、説明、図面等のデータを呼び出しディスプレイ上に表示する。データが多数の時はスクロールさせながら選ぶ。

(ロ). 台紙エリア上に、マウスを利用して写真、説明、図面等のデータを貼り付ける。台紙エリアが不足の時は追加する。

(ハ). 写真や地図等を良く見たいときは、表示倍率を変更してズームUPを行い確認できるようになっている。

#### 確認

- ・トリミング
- ・水平位置の修正
- ・縦位置、横位置の修正
- 90°回転等
- ・露光不足の修正

(二).ペイントソフトの利用で色の修正、光源位置の修正、明るさの変更、色の変更、合成写真、等を行い施工主と研究会やプレゼンテーション、コマーシャルポスター等に利用できる。

【0019】また、異なる工種スケジュール番号で取り込んである写真、地図、図面等のデータをクロスして利用することもできる。各台紙エリアに写真、説明、図面等のデータの貼り付けが終わったら、余白を自動的に取り除き、1冊分のアルバムデータとする。アルバムデータの内容をチェックして差し替え、追加を検討する。必要があれば、頁の追加、余白の追加、写真データの差替え、取り外しを行うことができる。説明不足の場合には説明データを追加入力することができる。タイトル、文書、地図、図面等の色付け、強調も可能である。

【0020】このようにして編集されたアルバムデータは、ステップ11でカラーブリンター等の印刷装置により印刷を行い、出力後に製本を行って提出用アルバムを完成させる。また、社内教育用資料も同様の手順でアルバム化できる。プリンター(白黒またはカラー)で出力し、パンフレットとすることもできる。更に、プレゼンテーション用のスライド、テレビ用原稿を製作することもできる。また、これらのデータを用いて新施工法の開発資料とすることもできる。その際に、人工、出面管理ソフト、図面、物流、時間、天候、手法、機械の使用数、稼働時間、時系列的に並べた写真を利用し参考とす

る。

【0021】すべての作業が終わったらステップ11で可搬式のメモリに保存する。本実施例では当該1工事に関する全ての資料、写真、図面を1枚の光ディスクに保存する。このシステムはコンピュータのディスプレイに表示することが可能な全ての図面、表、説明文などのデータを組入れてアルバムを製作することができるという利点を有する。

#### [0022]

【発明の効果】以上この発明によれば、人手を少なくして、時間の短縮を図ることができる。現場写真の取り忘れがおきないよう写真スケジュール表をコンピュータより工事工程表に合わせ出力することができる。また写真撮影スケジュールに合わせ、大量に撮影した写真をコンピュータのデータとして記録し、ファイル管理ロッカー内ロケーションを指示し、後で取り出しやすくしうる。コンピュータ上で、提出アルバムを一度作り、提出する写真が良く撮れているか、工種名は正しいか確認し、他に良い写真があれば直ちに置き換えることができるので提出アルバムの精度が向上する。コンピュータ画面上に出せる図面、表、説明文すべてをアルバムに表示できる。また、一つの工事関係書類から写真、図面まで全てを1枚のディスクに保存できる。

#### 【図面の簡単な説明】

【図1】この発明の工事写真アルバム作成システムにかかる機能プロック図である。

【図2】実施例における工事写真アルバム作成システムのプロック図である。

【図3】アルバム作成手順を示すフローチャートである。

【図4】モニターに表示される編集方法を示す説明図である。

# 【符号の説明】

- 1 撮影スケジュール作成手段
- 2 イメージデータ入力手段
- 3 データ入力手段
- 4 撮影漏れ判定手段
- 5 識別コード付与手段
- 6 データ編集手段
- 8 外部表示装置
- 7 アルバム作成手段
- 9 保存庫
- 11 カメラ
- 12 ビデオカメラ
- 12 ネガポジ反転スキャナー
- 20 パーソナルコンピュータ
- 21 データ入力装置
- 22 モニター
- 23 プリンター
- 24 外部メモリ装置

フロントページの続き

(72)発明者 桑原 輝彦

北海道札幌市豊平区里塚2条6丁目3-5 北海道キャタピラー三菱建機販売株式会 社内